



MICROBLADING PRE-PROCEDURE ADVICE

Please read the following advice carefully and sign at the end

- * Microblading procedure normally requires multiple treatment sessions. For best results, clients will be required to return for at least one re-touch appointment. Please be aware that colour intensity will be significantly darker and sharper immediately and a few days after the initial procedure, but the colour will reduce by 40-60% while healing takes place.
- * Although numbing cream is used during the procedure, sensitivity or discomfort may still be felt. Skin may be red and/or swollen after the procedure.
- * Please do not drink alcohol 24 hours prior to the treatment.
- * Unless medically necessary, please avoid taking things that may thin the blood like aspirin, ibuprofen and heart medication.
- * A patch test is performed prior to treatment unless waived by client. This patch test must be performed at least a week before the first appointment.
- * Please do not shape or wax your brows the day before the procedure. Your technician will shape brow on the day of procedure if necessary.
- * No electrolysis for at least 5 days before the procedure.
- * Botox, fillers, AHA's and retinoids (Vit A) should be avoided for at least 2-3 weeks prior to the procedure.
- * Exfoliation treatments such as microdermabrasion should not be performed within two weeks prior to the procedure.
- * Chemical and laser peels should be avoided no less than 6 weeks prior to the procedure.
- * Patients prone to cold sores/fever blisters should take anti-viral prior to the treatment.
- * Hormone therapies could affect pigmentation and /or cause sensitivity.
- * Discontinue use of any brow growth serum, as it causes sensitivity and can affect pigment.

MICROBLADING TOPICAL ANAESTHETIC ADVICE

- * Allergic reactions can occur from any anaesthetic used during the procedure. If you do suffer from an allergic reaction, you should contact your doctor immediately.
- * Allergic reaction response may show through redness, swelling, rash, blistering, dryness and any other symptoms associated with an allergic reaction.
- * Numbness: We cannot accept any responsibility if the area to be treated does not respond to the numbing cream. Each individual is different according to skin type. Some clients report the area to be completely numb, while others may experience some discomfort.

THERABEAUTIC

— BEAUTY * SKINCARE —

MICROBLADING

Procedure: For Microblading procedure a 5% lidocaine numbing cream is used. The products are formulated to be perfectly safe on normal skin. The aesthetic is placed over the treatment area for 30-40 minutes, then carefully removed prior to treatment. As a result of treatment, combined with the use of anaesthetic you can experience some redness and swelling that can last 1-4 days.

You should always follow your aftercare advice and take care for the best results.

The following medical conditions require a note from your doctor.:

Diabetes type 1 and 2, High Blood Pressure, Auto-Immune disease, Thyroid/Graves' disease, any other medical conditions that cause slow healing or a high risk of infection.

I have read, and fully understood the above information provided and any risk involved with the use of topical anaesthetic, and I therefore consent to the use of anaesthetic for the Microblading procedure. I agree to follow the pre and post procedure advice closely.

Client's Name: _____

Signature: _____

Date: _____

Technician's Signature: _____

Date: _____